

FAST FACTS

- Large diameter grinding wheel removes stumps 255mm below the surface
- Stabiliser feet provide exceptional stability
- Fully operational from within the cab
- Offset design provides maximum visibility
- Direct drive motor provides high torque for maximum productivity





JCB STUMP GRINDER | SG660



The JCB Stump Grinder complements the JCB Robot 170-1110 Range and comes complete with all necessary hoses, electrical connections and operator manual. The SG660 provides an economical and viable mechanical solution that enables a single operator to remove tree stumps in an environmentally friendly manner. We recommend that a front screen is fitted to your Robot when operating the Stump Grinder.

HYDRAULIC REQUIREMENTS				
Machine model		SG660		
No. of auxiliary circuits		I Double acting		
Hydraulic flow	l/min (g/min)	61 – 83 (13.3 – 18.3)		

STATIC DIMENSIONS				
Machine model		SG660		
Overall width	mm (in)	1475 (58)		
Overall height	mm (in)	940 (37)		
Maximum overall length	mm (in)	1855 (73)		
Below ground	mm (in)	255 (10)		
Maximum sweep arc		60°		
Maximum lift arc		25°		

GRINDING WHEEL			
Machine model		SG660	
Grinding wheel diameter	mm (in)	660 (26)	
Number of replaceable wearparts		28	

ELECTRICAL REQUIREMENTS				
Machine model		SG660		
Voltage supply	volts	12		

OPERATIONAL WEIGHT			
Machine model		SG660	
Weight	kg (lb)	327 (720)	

STANDARD EQUIPMENT

Electrical connections, JCB Quick Release Couplers, 28 replaceable wearparts, operator manual, hydraulic sweep and lift, direct drive motor.



JCB cares for the environment.

This paper has been produced without the use of elemental chlorine chemicals in the bleaching process.

JCB Sales Limited, Rocester, Staffordshire ST I4 5JP. Tel: 01889 590312. Fax: 01889 590588. Web: http://www.jcb.com

CE